L Number	Hits	Search Text	DB	Time stamp
11	17615	707/.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 08:09
12	77	((select$4 highlight) near5 character$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 08:11
13	60	(((select$4 highlight) near5 character$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))) and table	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 08:11
14	24	((((select$4 highlight) near5 character$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))) and table) and ((id identifier identification number) near5 (tag anchor))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 08:12
-	1050	(edit$4 delet$4) near5 (tag$2 (tag$2 near5 pair$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 10:33
-	437	((edit$4 delet$4) near5 (tag$2 (tag$2 near5 pair$2))) and (distinguish$4 discriminat$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 10:34
-	156	(((edit$4 delet$4) near5 (tag$2 (tag$2 near5 pair$2))) and (distinguish$4 discriminat$4)) and ((edit$4 modif$5) near5 (character$2 tag$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 10:34
-	3138	(edit$4 delet$4 modif$6) near5 (tag$2 (tag$2 near5 pair$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 10:34
-	1310	((edit$4 delet$4 modif$6) near5 (tag$2 (tag$2 near5 pair$2))) and (distinguish$4 discriminat$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 10:34
-	1310	(((edit$4 delet$4 modif$6) near5 (tag$2 (tag$2 near5 pair$2))) and (distinguish$4 discriminat$4)) and (character$2 tag$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 10:35
-	58	((((edit$4 delet$4 modif$6) near5 (tag$2 (tag$2 near5 pair$2))) and (distinguish$4 discriminat$4)) and (character$2 tag$2)) and (edit$4 near5 document$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 12:31
-	58	((((edit$4 delet$4 modif$6) near5 (tag$2 (tag$2 near5 pair$2))) and (distinguish$4 discriminat$4)) and (character$2 tag$2)) and (((((edit$4 delet$4 modif$6) near5 (tag$2 (tag$2 near5 pair$2))) and (distinguish$4 discriminat$4)) and (character$2 tag$2)) and (edit$4 near5 document$2)) and (tag$2 anchor$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 12:32
-	1310	((((edit$4 delet$4 modif$6) near5 (tag$2 (tag$2 near5 pair$2))) and (distinguish$4 discriminat$4)) and (character$2 tag$2)) and (tag$2 anchor$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 13:10
-	13	(((((edit$4 delet$4 modif$6) near5 (tag$2 (tag$2 near5 pair$2))) and (distinguish$4 discriminat$4)) and (character$2 tag$2)) and (tag$2 anchor$2)) and (edit$4 near5 (character$2 (character near3 sequence$2)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 12:41
-	46	(((((edit$4 delet$4 modif$6) near5 (tag$2 (tag$2 near5 pair$2))) and (distinguish$4 discriminat$4)) and (character$2 tag$2)) and (tag$2 anchor$2)) and (tag near3 manage$$)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 13:06
-	497	tag$2 near5 overlap$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 13:07

-	497	(tag$2 near5 overlap$4) and tag$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 13:07
-	341	((tag$2 near5 overlap$4) and tag$2) and (edit$4 modif$6 delet$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 13:07
-	97	(((tag$2 near5 overlap$4) and tag$2) and (edit$4 modif$6 delet$4)) and ((start end) near5 tag$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 13:15
-	45	((((edit$4 delet$4 modif$6) near5 (tag$2 (tag$2 near5 pair$2))) and (distinguish$4 discriminat$4)) and (character$2 tag$2)) and ((tag$2 anchor$2) near5 overlap$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 13:10
-	309	(((((edit$4 delet$4 modif$6) near5 (tag$2 (tag$2 near5 pair$2))) and (distinguish$4 discriminat$4)) and (character$2 tag$2)) and (tag$2 anchor$2)) and ((start end) near5 tag$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 15:02
-	1188	(edit$4 near5 document$4) and (tag$2 anchor$2) and (start begin$4 end)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 15:04
-	113	((edit$4 near5 document$4) and (tag$2 anchor$2) and (start begin$4 end)) and (character near5 sequence$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 16:06
-	1	5649218.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 07:56
-	1	5649218.pn. and omit$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 16:06
-	1	5649218.pn. and edit$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:01
-	1	(5649218.pn. and edit$4) and (tag$2 character$2 sequence$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:11
-	0	(((prepar$4 near5 tag$2) near5 table$2) same (edit$4 near5 document$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:12
-	12	((tag$2 near5 table$2) same (edit$4 near5 document$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:17
-	11387	document near4 area$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:17
-	1083	document adj area$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:18
-	104	(document adj area$2) and (tag$2 anchor$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:18
-	1	(((document adj area$2) and (tag$2 anchor$2)) and (edit$4 modif$6 chang$4)) and (character near5 sequence$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:19

-	104	((document adj area$2) and (tag$2 anchor$2)) and (edit$4 modif$6 chang$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:22
-	1082	(overlap$4 over-lap$4) near5 (tag$2 anchor$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:24
-	369	((overlap$4 over-lap$4) near5 (tag$2 anchor$2)) and table$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:24
-	345	(((overlap$4 over-lap$4) near5 (tag$2 anchor$2)) and table$2) and (edit$4 modif$6 chang$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:24
-	136	((((overlap$4 over-lap$4) near5 (tag$2 anchor$2)) and table$2) and (edit$4 modif$6 chang$4)) and (character$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:55
-	50	(nonoverlap$4 non-overlap$4 (non adj overlap$$)) near5 (tag anchor$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:56
-	22	((nonoverlap$4 non-overlap$4 (non adj overlap$$)) near5 (tag anchor$2)) and id	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:57
-	28	((nonoverlap$4 non-overlap$4 (non adj overlap$$)) near5 (tag anchor$2)) not (((nonoverlap$4 non-overlap$4 (non adj overlap$$)) near5 (tag anchor$2)) and id)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:00
-	846	(start near5 tag$2) and (end near5 tag$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:01
-	51	((start near5 tag$2) and (end near5 tag$2)) and (assign$4 near5 (id$2 identification name$2 number$2) near5 tag$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:06
-	765	(assign$4 near5 (id$2 identification name$2 number$2) near5 (tag$2 anchor$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:07
-	714	((assign$4 near5 (id$2 identification name$2 number$2) near5 (tag$2 anchor$2))) not (((start near5 tag$2) and (end near5 tag$2)) and (assign$4 near5 (id$2 identification name$2 number$2) near5 tag$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:08
-	12	(((assign$4 near5 (id$2 identification name$2 number$2) near5 (tag$2 anchor$2))) not (((start near5 tag$2) and (end near5 tag$2)) and (assign$4 near5 (id$2 identification name$2 number$2) near5 tag$2))) and (edit$4 near5 (tag$2 anchor$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:23
-	292	(((assign$4 near5 (id$2 identification name$2 number$2) near5 (tag$2 anchor$2))) not (((start near5 tag$2) and (end near5 tag$2)) and (assign$4 near5 (id$2 identification name$2 number$2) near5 tag$2))) and (character)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:26
-	18	((assign$4 near5 (id$2 identification name$2 number$2) near5 (tag$2 anchor$2))) and (edit$4 near5 (tag$2 anchor$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:23
-	6	(((assign$4 near5 (id$2 identification name$2 number$2) near5 (tag$2 anchor$2))) and (edit$4 near5 (tag$2 anchor$2))) not ((((assign$4 near5 (id$2 identification name$2 number$2) near5 (tag$2 anchor$2))) not (((start near5 tag$2) and (end near5 tag$2)) and (assign$4 near5 (id$2 identification name$2 number$2) near5 tag$2))) and (edit$4 near5 (tag$2 anchor$2)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:24

-	1159	715/513.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:26
-	710	715/513.ccls. and (tag$2 anchor$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:27
-	316	(715/513.ccls. and (tag$2 anchor$2)) and ((id identification identifier number name) near4 (tag$2 anchor$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 15:55
-	2	("6526410" "5649218").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:37
-	0	(("6526410" "5649218").pn.) and link$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 15:56
-	1	5553216.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:12
-	1	5553216.pn. and link$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 15:57
-	1	5802529.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:12
-	1	5802529.pn. and link$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:15
-	1	5745745.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:15
-	0	5745745.pn. and link$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:18
-	1	6230173.pn. and link$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:18
-	1	("6526410" "5649218").pn. and format$$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:58
-	11	(select$4 near5 (character near3 string$2)) and (start near5 (tag anchor)) and (end near5 (tag anchor))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 08:10
-	68	(select$4 near5 character$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 08:10
-	54	((select$4 near5 character$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))) and ((id number name identifier identification) near5 (tag anchor))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 08:09